

Sr. No.	Name and of the Vendor/Agent	Broad Category	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1.	M/s. Drona Engineering	Loom	Jute Brush Mat loom	-	Width: 1.2 mtr No.of shafts : 2	24.00	24.00
2.	M/s. Drona Engineering	Loom	Jute Matting Loom	-	Width: 2 mtr No.of shafts : 4	29.00	29.00
3.	M/s. Drona Engineering	Loom	Jute Dobby Loom	-	Width: 2 mtr No.of shafts : 8	48.00	48.00
4.	M/s. Drona Engineering	Loom	Jute Loop Loom	-	Width: 3 mtr No.of shafts : 2	35.00	35.00
5.	M/s. Drona Engineering	Loom	Jute Boucle Loom	-	Width: 2.5 mtr No.of shafts : 4	28.00	28.00
6.	M/s. Drona Engineering	Loom	Jute Jacquard Loom	-	Width: 2 mtr Hooks : 3000	45.00	45.00
7.	M/s. Susmatex Machinery	Loom	High speed Needle Loom	SMT-4/65	Electric Motor 1 HP(0.75kw) AC 3 Phase, Electromagnetic Brake for instant stop incase of yarn breakage, Weft yarn feed attachment with capston device/feed wheel, centralized lubricating system, easy weaving setting, variable motor pulley for different speed, auto stop motion with fault indicator for yarn breakage	2.10	2.10
8.	M/s. Susmatex Machinery	Loom	High speed Needle Loom	SMT-6/55, 8/45, 10/30, 12/20	Electric Motor 1 HP(0.75kw) AC 3 Phase, Electromagnetic Brake for instant stop incase of yarn breakage, Weft yarn feed attachment with capston device/feed wheel, centralized lubricating system, easy weaving setting, variable motor pulley for different speed, auto stop motion with fault indicator for yarn breakage	2.25	2.25

9.	M/s. Susmatex Machinery	Loom	High speed Needle Loom	SMT-8/55, 10/45, 12/30, 4/110, 6/80	Electric Motor 1 HP(0.75kw) AC 3 Phase, Electromagnetic Brake for instant stop incase of yarn breakage, Weft yarn feed attachment with capston device/feed wheel, centralized lubricating system, easy weaving setting, variable motor pulley for different speed, auto stop motion with fault indicator for yarn breakage	2.50	2.50
10.	M/s. Susmatex Machinery	Loom	High speed Needle Loom	SMT-10/30 DWT	Electric Motor 1 HP(0.75kw) AC 3 Phase, Electromagnetic Brake for instant stop incase of yarn breakage, Weft yarn feed attachment with capston device/feed wheel, centralized lubricating system, easy weaving setting, variable motor pulley for different speed, auto stop motion with fault indicator for yarn breakage	2.45	2.45
11.	M/s. Susmatex Machinery	Loom	High speed Needle Loom	SMT-12/20 DWT	Electric Motor 1 HP(0.75kw) AC 3 Phase, Electromagnetic Brake for instant stop incase of yarn breakage, Weft yarn feed attachment with capston device/feed wheel, centralized lubricating system, easy weaving setting, variable motor pulley for different speed, auto stop motion with fault indicator for yarn breakage	2.45	2.45
12.	M/s. Susmatex Machinery	Loom	High speed Needle Loom	SMT-12/30 DWT	Electric Motor 1 HP(0.75kw) AC 3 Phase, Electromagnetic Brake for instant stop incase of yarn breakage, Weft yarn feed attachment with capston device/feed wheel, centralized lubricating system, easy weaving setting, variable motor pulley for different speed, auto stop motion with fault indicator for yarn breakage	2.70	2.70

13.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL55 inches	Use in weaving of all type of fabric. Fully mild steel based machine structure, Electronic creaming motion with combined stop let-off and take-up motion, auto pick finding, Mechanical continuous take-up motion, positive let-off motion, No need of expert technician very user friendly, No need any lubrication, Machine is totally bearing based, Synchronization of E. Jacquard with rapier loom through only single data cable, Low maintenance, Motor – 2 H.P up to 90" and 3 H.P for other big size. LCD Display – Shows RPM(speed) weft finger details Error detection Weft sensor By- Pass: There is option for operator to By-pass the weft sensor as per requirement There is also alarm/ indicators system on machine.	2.00	2.00
14.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL60 inches		2.30	2.30
15.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL72 inches		2.50	2.50
16.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL76 inches		2.55	2.55
17.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL90 inches		2.75	2.75
18.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL110 inches		3.00	3.00
19.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL120 inches		3.20	3.20
20.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL124 inches		3.40	3.40
21.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL130 Inches		3.60	3.60
22.	M/s. Jakob Muller Group	Loom	Narrow Fabric Loom	VARITEX V5Ni		Regulator-3.5 to 36.7 picks per cm Fabric take off- Double roll with slip proof covering Repeat- 16-48 pattern chain Weaving system- weft knitting, binder thread knitting AC Motor- 1.1Kw, 3 phase Automatic central lubrication Electromagnetic brake fitted on the main loom shaft Machine Net weight- 225kg Weft Feed- MUTRANS ^R 2	3.50
					VARITEX V5Ni 02/65H No. Of space- 02 Reed width- 65mm No of Harness frame- 12		

					VARITEX V5Ni 02/110 No. Of spaces-02 Reed width- 65/85/110mm No of Harness frame- 10	3.30	3.30
					VARITEX V5Ni 04/50 No. Of spaces-04 Reed width- 50mm No of Harness frame- 12	3.26	3.26
					VARITEX V5Ni 06/30 No. Of spaces-06 Reed width- 30mm No of Harness frame- 12	3.46	3.46
23.	M/s. Jakob Muller Group	Loom			Regulator-3.5 to 36.7 picks per cm Fabric take off- Double roll with slip proof covering Repeat- 16-48 pattern chain Weft Feed- MUTRANS ^{R2} Weaving system- weft knitting, binder thread knitting , weft and binder thread knitting AC Motor- 1.1Kw, 3 phase Automatic central lubrication Electromagnetic brake fitted on the main loom shaft Machine Net weight- 370kg		
					VARITEX V5 M 02/175 No. Of spaces-02 Reed width- 175mm No of Harness frame- 8	4.40	4.40
					VARITEX V5 M 06/50 No. Of spaces-06 Reed width- 50 mm No of Harness frame- 16	3.90	3.90
			Narrow Fabric Loom	VARITEX V5 M	VARITEX V5 M 04/65 No. Of spaces-04	3.95	3.95

					Reed width- 65 mm No of Harness frame- 16		
					VARITEX V5 M 04/65H No. Of spaces-04 Reed width- 65 mm No of Harness frame- 12	4.60	4.60
24.	M/s. Jakob Muller Group	Loom			Regulator-3.5 to 36.7 picks per cm Fabric take off- Double roll with slip proof covering Repeat- 16-48 pattern chain Weft Feed- MUTRANS ^{R2} Weaving system- weft knitting, binder thread knitting , weft and binder thread knitting AC Motor- 1.1Kw, 3 phase Automatic central lubrication Electromagnetic brake fitted on the main loom shaft Machine Net weight- 500kg		
					VARITEX V5 L 04/110 No. Of spaces-04 Reed width- 110 mm No of Harness frame- 14	4.85	4.85
					VARITEX V5 L 08/50 No. Of spaces-08 Reed width- 50 mm No of Harness frame- 16	5.00	5.00
					VARITEX V5 L 06/65 No. Of spaces-06 Reed width- 65 mm No of Harness frame- 14	4.90	4.90
			Narrow Fabric Loom	VARITEX V5L			
25.	M/s. Jakob Muller Group	Loom			No. Of spaces-06 Reed width- 50 mm No. Of jacquard hooks-320 Shaft frame- 8 Regulator-3.5 to 36.7 picks per cm Fabric take off- Double roll with	26.00	26.00
			Narrow Fabric Loom	VARITEX 6/50MJ 384			

					slip proof covering Repeat- 16-48 pattern chain Weft Feed- MUTRANS ^{R2} Weaving system- weft knitting, binder thread knitting , weft and binder thread knitting AC Motor- 1.5Kw, 3 phase Dimension- width-1020mm, Height-2980mm, Depth- 3220mm		
26.	M/s. Jakob Muller Group	Loom	Narrow Fabric Loom	MD 4/85	No. Of spaces-4 Max. Reed width- 85 mm Max. Fabric width- 80mm Max. Fabric thickness- 3.1mm Weaving system- S1 7 S3- Standard S2 & S5- optional Regulator-3.0 to 15.0 picks per cm Reinforced fabric take off- With chromed and knurled take off and pressure rollers Max. No of heated shaft- 14 Weft Feed- MUTRANS ^{R2} AC Motor- With slow motion gearbox motor and frequency convertor:3 Kw, 3 x 400V- 50/60Hz	13.00	13.00

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
27.	M/s. Susmatex Machinery	Warping Machine	Warping Machine	SMW-350	Automatic Constant surface speed, floating pressure roller, variable winding speed, variable warp pitch, digital preset meter counter for warp length, electromagnetic instant brake for machine stop, Power-2HP, Beam size- 350dia x 250mm.	0.95	0.95
28.	M/s. Susmatex Machinery	Warping Machine	Warping Machine	SMW-500	Automatic Constant surface speed, floating pressure roller, variable winding speed, variable warp pitch, digital preset meter counter for warp length, electromagnetic instant brake for machine stop, Power-5HP, Beam size- 500dia x 450mm.	1.25	1.25
29.	M/s. Jakob Muller Group	Warping Machine	Warping Machine	MW-400	Basic machine is stable, oscillation free desing. Strong electromagnetic brake for short braking distance. Lease insertion device. Safety door. Meter counter with preset and end switch for stopping during full winding. Negetive driven equalisation roller for compensation of thread tension using a magnet brake fora quick stop in case of thread breakage. Max. Warping speed-400m/min Max bobbin width-650mm	4.40	4.40

					Max. Flange diameter-400mm		
--	--	--	--	--	----------------------------	--	--

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
30.	M/s. Susmatex Machinery	Braiding Machine	Fast knit Braiding Machine	COMBI(Double head)	Diameter of Cord- 2 to 12mm, No. Of fabric cord- 2Nos., Machine speed- 1200rpm, No. Of needles- 4,6 8,12, motor- 0.5HP 3 Phase AC, Net weight- 150kgs	0.95	0.95
31.	M/s. Susmatex Machinery	Braiding Machine	Fast knit Braiding Machine	SMB-8 (Eight head)	Diameter of Cord- 2 to 6mm, No. Of fabric cord- 8 Nos., Machine speed- 800rpm, No. Of needles- 4,6 8 motor- 0.5HP 3 Phase AC, Net weight- 150kgs	1.05	1.05

32.	M/s. Susmatex Machinery	Braiding Machine	High speed Braiding machine	SHB 16-4-90	Capacity: Spindle-16, 4 heads Speed- 330rpm	2.80	2.80
33.	M/s. Susmatex Machinery	Braiding Machine	High speed Braiding machine	SHB 32-2-90	Capacity: Spindle-32, 2 heads Speed- 330rpm	2.80	2.80
34.	M/s. Susmatex Machinery	Braiding Machine	High speed Braiding machine	SHB 48-2-90	Capacity: Spindle 48/ 2 heads Speed- 330rpm	3.95	0.95
35.	M/s. Susmatex Machinery	Braiding Machine	High speed Braiding machine	SHB 16-2-130	Capacity: Spindle 16/ 2 heads Speed- 205rpm	4.00	4.00
36.	M/s. Susmatex Machinery	Braiding Machine	High speed Braiding machine	SHB 24-2-130	Capacity: Spindle 24/ 2 heads Speed- 205rpm	3.20	3.20
37.	M/s. Susmatex Machinery	Knitting Machine	Crochet Knitting Machine	--	Working Width- 780mm Speed:800-1100rpm	4.50	4.50

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
38.	M/s. R. B Electronics & Engineering Pvt. Ltd,	Laboratory Dryer and padder	Hot Air Drying or Curing cum Polymerizer Unit	PDC 600L-VTPSM317	Max.Speed- 2mpm, WorkingWidth- 600mm Connected electric load-16 Kw, Electric supply-3Phase, 415V,50Hz, Electrical heating system for generating hot air, Maximum Sapce- 3.7m (L)x 1.5m(W) x 1m (H), Vertical padding mangle, Mangle dia-120mm, Nip pressure- Digital control, Max 4kg/cm ² ,	11.00	11.00
39.	M/s. R. B Electronics & Engineering Pvt. Ltd,	Laboratory Dryer and padder	Hot Air Drying or Curing cum Polymerizer Unit	PDC1200L-VTPSM310	Max.Speed- 2mpm, WorkingWidth- 1200mm Connected electric load-24 Kw, Electric supply-3Phase, 415V,50Hz, Electrical heating system for generating hot air, Maximum Sapce- 3m (L)x 2.1m(W) x 1.5m (H), Vertical padding mangle, Mangle dia-200mm, Nip pressure- Digital control, Max 4kg/cm ² , IR Pre dryer	24.30	24.30
40.	M/s. R. B Electronics & Engineering Pvt. Ltd,	Laboratory Dryer and padder	Hot Air Drying or Curing cum Polymerizer Unit	PD1600L-VTPSMxxx	Max.Speed- 2mpm, WorkingWidth1600mm Connected electric load-26Kw, Electric supply-3Phase, 415V,50Hz, Electrical heating system for generating hot air, Maximum Sapce- 4m (L)x 2.9m(W) x 1.5m (H), Vertical padding mangle, Mangle dia-200mm, Nip pressure- Digital control, Max 4kg/cm ²	26.00	26.00
41.	M/s. R. B Electronics & Engineering Pvt. Ltd,	Laboratory Dryer and padder	Hot Air Drying or Curing cum Polymerizer Unit	HAD 1900-2400-VTPSM455	Max.Speed- 3.5mpm, WorkingWidth1900mm, Gas Heating system, Connected electric load-7.5Kw, Electric	26.00	26.00

					supply-3Phase, 415V,50Hz, Maximum Sapce- 13m (L)x 4m(W) x 2.5m (H) with padding		
--	--	--	--	--	---	--	--

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
42.	M/s. Cheran Machines India Private	Printing Machine	Foil Printing Machine (Heat Transfer machine)	CF 2003 DB	Micro control based digital temperature and timer control, Automatic double stroke operation and production monitoring, Platen size- 10" x 15", Power- 230v,50Hz,2.5HP, Heater- 2Kw/9Amp, Temp- 220°C, Timer- 0 to99sec, Air pressure- 0-8bar, Air consumption- 0.5cfm AT 8 bar	0.91	0.91

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
43.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horizontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	45feet table length/6No. Color/5 KW servo drive for blanket		
					Printing Width-48"	71.00	71.00
					Printing Width-60"	79.50	79.50
					Printing Width-66"	84.10	84.10
44.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horizontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	60feet table length/8No. Color/5 KW servo drive for blanket		
					Printing Width-48"	77.10	77.10
					Printing Width-60"	87.10	87.10
					Printing Width-66"	92.50	92.50
45.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horizontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	72feet table length/10No. Color/5 KW servo drive for blanket		
					Printing Width-48"	82.50	82.50
					Printing Width-60"	93.80	93.80
46.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or		85feet table length/12No. Color/5 KW servo drive for blanket		
47.	M/s Screenotex Engineers	Screen Printing Machine	horizontal conveyer dryer/ float cum	UNIQUE-SERVO-DX	Printing Width-48"	88.10	88.10

48.	Private Limited		horizontal conveyer dryer with single inverter or double servo drive		Printing Width-60"	100.75	100.75
49.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horizontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	45feet table length/6No. Color/7 KW servo drive for blanket		
					Printing Width-72"	89.65	89.65
					Printing Width-80"	99.10	99.10
50.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horizontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	60feet table length/8No. Color/7 KW servo drive for blanket		
					Printing Width-72"	98.25	98.25
					Printing Width-80"	109.20	109.20
51.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horizontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	72feet table length/10No. Color/7 KW servo drive for blanket		
					Printing Width-66"	102.45	102.45
					Printing Width-72"	105.80	105.80
					Printing Width-80"	117.75	117.75
52.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horizontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	85feet table length/12No. Color/7 KW servo drive for blanket		
					Printing Width-66"	110.15	110.15
					Printing Width-72"	113.70	113.70
					Printing Width-80"	126.80	126.80

53.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	CE –Copper head Pro Mini 6" x 6" 10S/4C	Machine is an extremely versatile, all-electric automatic screen printing press. It is design to use minimal power to operate , doesn't need an external compressor , and is a simple low maintenance machine. No. of color use-04 No. of station-10 Max. image size-6" x 6" Max. frame size- 11" x 15" Screen frame thickness- 1.0" x 1.5" No. of flashes- 4 Electrical requirement- 208-203V, 1 ph, 36A, 50/60 Hz, 6.6Kw Squeegee Rubber specification- 0.314" x 1.18" Machine height- 57.56", Machine Diameter- 57.5", Total machine Wight- 400kg	1.31	1.31
54.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	CE –Copper head Pro Mini 6" x 6" 8S/3C	Machine is an extremely versatile, all-electric automatic screen printing press. It is design to use minimal power to operate , doesn't need an external compressor , and is a simple low maintenance machine. No. of color use-03 No. of station-8 Max. image size-6" x 6" Max. frame size- 11" x 15" Screen frame thickness- 1.0" x 1.5" No. of flashes- 3 Electrical requirement- 208-203V, 1 ph, 28A, 50/60 Hz, 5Kw Squeegee Rubber specification- 0.314" x 1.18" Machine height- 57.56", Machine Diameter- 50.5", Total machine	1.127	1.127

					Wight- 305kg		
55.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	Copperhead Grand	Automatic screen printing press. combine with high quality components, leading class craftsmanship and high speed production. Lightweight honeycomb pallets with soft top rubber pads avoid excess overheating after flashing. The squeegee pressure equalizer system ensure uniform ink deposit to achieve consistency in color reproduction. The Copperhead Grand's electric printheads, tool-free squeegee/floodbar angle adjustments, pneumatic frame locks and independent squeegee/floodspeeds provide operators with all the time-saving features needed for quick setups		
					Copperhead Grand 24"x 40"(60x 100cm) 12S/6C No. of color use-06 No. of station-12 Max. image size-24" x40" Max. frame size- 30" x 52" Standard Pallet size - 30" x 48" Electrical requirement- 400-440V, 3 ph, 50 Hz, Squeegee Rubber specification- 0.35" x 1.97" Machine height- 114"	45.52	45.52
					Copperhead Grand 24"x 40"(60x 100cm) 12S/8C No. of color use-08 No. of station-12 Max. image size-24" x40" Max. frame size- 30" x 52" Standard Pallet size - 30" x 48"	49.72	49.72

				<p>Electrical requirement- 400-440V, 3 ph, 50 Hz, Squeegee Rubber specification- 0.35" x 1.97" Machine height- 114"</p>		
				<p>Copperhead Grand 24"x 40"(60x 100cm) 12S/10C</p> <p>No. of color use-08 No. of station-12 Max. image size-24" x40" Max. frame size- 30" x 52" Standard Pallet size - 30" x 48" Electrical requirement- 400-440V, 3 ph, 14.5A, 50 Hz, 6.75kW Squeegee Rubber specification- 0.35" x 1.97" Machine height- 114", Machine dimension(L x W)- 95"x 79" Machine diameter- 245.6" Machine weight- 3010kg</p>	53.92	53.92
				<p>Copperhead Grand 24"x 40"(60x 100cm) 14S/6C</p> <p>No. of color use-06 No. of station-14 Max. image size-24" x40" Max. frame size- 30" x 52" Standard Pallet size - 30" x 48" Electrical requirement- 400-440V, 3 ph, 50 Hz, Squeegee Rubber specification- 0.35" x 1.97" Machine height- 114"</p>	34.78	34.78
				<p>Copperhead Grand 24"x 40"(60x 100cm) 14S/8C</p> <p>No. of color use-08</p>	44.75	44.75

					<p>No. of station-14 Max. image size-24" x40" Max. frame size- 30" x 52" Standard Pallet size - 30" x 48" Electrical requirement- 400-440V, 3 ph, 50 Hz, Squeegee Rubber specification- 0.35" x 1.97" Machine height- 114"</p>		
					<p>Copperhead Grand 24"x 40"(60x 100cm) 14S/10C</p> <p>No. of color use-10 No. of station-14 Max. image size-24" x40" Max. frame size- 30" x 52" Standard Pallet size - 30" x 48" Electrical requirement- 400-440V, 3 ph, 50 Hz, Squeegee Rubber specification- 0.35" x 1.97" Machine height- 114"</p>	48.35	48.35
56.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	Copperhead III Series	<p>Copperhead III Series presses were built from the ground up to optimize speed, performance, flexibility, print quality, and durability. With a digital touchscreen control panel featuring icon-based labeling; an extensive variety of configurations; an unrivaled set of standard features and timesaving, outputenhancing exclusives; efficient design; and high production speed, the III Series is poised to dominate the next decade of automatic screen printing. Lightweight Aluminum</p>		

				<p>pallets with soft top rubber pads avoid excess overheating after flashing, which is one of the key features for printers using water base and discharge inks. Squeegee pressure equalizer system ensures uniform ink deposit to achieve consistency in color reproduction. With electric printheads, tool-free squeegee/floodbar angle adjustments, pneumatic frame locks and independent squeegee/flood speeds provide operators with all the time-saving features needed for quick setups.</p>		
				<p>Copperhead III Series 20"x 30"(50x 75cm) 12S/6C</p> <p>No. of color use-06 No. of station-12 Max. image size-50" x75"</p>	28.70	28.70
				<p>Copperhead III Series 20"x 30"(50x 75cm) 12S/8C</p> <p>No. of color use-08 No. of station-12 Max. image size-50" x75"</p>	40.60	40.60
				<p>Copperhead III Series 20"x 30"(50x 75cm) 12S/10C</p> <p>No. of color use-10 No. of station-12 Max. image size-50" x75"</p>	44.80	44.80

					Copperhead III Series 20''x 30''(50x 75cm) 14S/8C No. of color use-08 No. of station-14 Max. image size-50'' x75''	42.25	42.25
					Copperhead III Series 20''x 30''(50x 75cm) 14S/10C No. of color use-10 No. of station-14 Max. image size-50'' x75''	46.92	46.92
					Copperhead III Series 20''x 30''(50x 75cm) 18S/12C No. of color use-12 No. of station-18 Max. image size-50'' x75''	61.60	61.60
					Copperhead III Series 20''x 30''(50x 75cm) 18S/14C No. of color use-14 No. of station-18 Max. image size-50'' x75''	65.80	65.80
57.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	Copperhead III Series Max 20''x28''(50x 70cm) 18S/8C	Copperhead III Series presses were built from the ground up to optimize speed, performance, flexibility, print quality, and durability. With a digital touch screen control panel featuring icon-based labeling; an extensive variety of configurations; an unrivaled set of standard features and timesaving, out put enhancing exclusives; efficient design; and high production speed, the III Series is poised to dominate the next	43.059	43.059

					<p>decade of automatic screen printing. Lightweight Aluminum pallets with soft top rubber pads avoid excess overheating after flashing, which is one of the key features for printers using water base and discharge inks. Squeegee pressure equalizer system ensures uniform ink deposit to achieve consistency in color reproduction. With electric printheads, tool-free squeegee/floodbar angle adjustments, pneumatic frame locks and independent squeegee/flood speeds provide operators with all the time-saving features needed for quick setups.</p> <p>Copperhead III Series Max 20"x28" (50x 70cm) 18S/8C</p> <p>No. of color use-8 No. of station-18 Max. image size-50" x70"</p>		
58.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	Copperhead Rival	<p>Copperhead Rival™ presses are the benchmark in automatic screen printing presses, combining highest quality components, leading-class craftsmanship and high-speed production. An electric indexing system enables extremely smooth and quiet operation. The included, innovative squeegee pressure equalizer system with regulators on each printhead speeds setup and ensures uniform ink deposit for excellent print quality.</p>		
						25.00	

					Copperhead Rival 18"x20"(45x 50cm) 12S/6C No. of color use-06 No. of station-12 Max. image size-18" x20"		25.00
					Copperhead Rival 18"x20"(45x 50cm) 12S/8C No. of color use-08 No. of station-12 Max. image size-18" x20"	35.00	35.00
59.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	Copperhead Pro Flex 14"x15"(35x 38cm) 10S/5C	No. of color use-05 No. of station-10 Max. image size-14" x15"	20.887	20.887
60.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	Copperhead Intel 20"x28"(50x 70cm) 28S/12C	Copperhead Intel automatic oval screen printing press combines high volume throughput, and durable construction with the latest features in oval press design. The Intel comes standard with electronic printheads, pneumatic frame locks, independent controls for print & flood speeds, and the full suite of automatic programming that work in either clockwise or counter-clockwise printing configurations. Each Intel printhead utilizes the patented squeegee pressure equalizer system which maintains a uniform squeegee pressure across the entire print area to minimize printing pressure, maintain image detail, and avoid	80.00	80.00

					ink deposit variation. All standard Intel pallets are solid, lightweight aluminum with rubber coating to better manage heat during flashing. No. of color use-12 No. of station-28 Max. image size-36" x 28" Max. frame size- 26" x 40" Standard Pallet size – 23.5" x 35" Electrical requirement- 400-440V, 3 ph, 14.9A, 50 Hz, 4.75kW Machine dimension(L x Wx H)- 334" x 135" x 74.3" Air @ 7 Bar 1425l /min		
61.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	Copperhead Icon 22"x28"(55x70cm) 26S/8C	Copperhead Icon automatic oval screen printing press combines high volume throughput, and durable construction with the latest features in oval press design. The Icon comes standard with electronic print heads, pneumatic frame locks, independent controls for print & flood speeds, and the full suite of automatic programming that work in either clockwise or counter-clockwise printing configurations. No. of color use-8 No. of station-26 Standard image size-22" x 28" Standard frame size- 28" x 42" Standard Pallet size – 23.5" x 35" Electrical requirement- 400-440V, 3 ph, 7.5A, 50 Hz, 4.kW Machine dimension(L x W x H)- 334" x 135" x 74.3" Air @ 7 Bar 1096 l /min	58.00	58.00
62.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	APEX	8 color structure with 6 color head Printing speed- 8 to 80 m/min		

					Printing Width-48"	85.00	85.00
					Printing Width-60"	104.15	104.15
					Printing Width-72"	124.10	124.10
63.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	APEX	8 color structure with 8 color head Printing speed- 8 to 80 m/min		
					Printing Width-48"	95.25	95.25
					Printing Width-60"	118.10	118.10
					Printing Width-72"	140.75	140.75
64.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	APEX	12 color structure with 10 color head Printing speed- 8 to 80 m/min		
					Printing Width-48"	108.30	108.30
					Printing Width-60"	134.30	134.30
					Printing Width-72"	160.11	160.11
65.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	APEX	12 color structure with 12 color head Printing speed- 8 to 80 m/min		
					Printing Width-48"	119.41	119.41
					Printing Width-60"	148.20	148.20
					Printing Width-72"	176.85	176.85
66.	M/s. Arrow Digital Pvt.Ltd.	Digital Printing Machine	Digital Printer EFI Vutek	EFI Pro 32R Plus Rolled Printed Fully Loaded	Speed up to 2,756 sqft/hr (256 sqm/hr), Four colors plus optional white ink or clear ink, Gen-5 printheads with native 7 pL droplets and Ultra Drop™ Technolog, LED for lower power consumption and the use of thinner substrates, Integrated mesh kit, Wrinkle analyzer, Advanced software settings, Includes a built-in Fiery® digital front end, featuring FAST RIP acceleration technology, plus RIP and print-on-demand functionality or the ability to print pre-ripped files at the printer interface.	235.00	235.00

67.	M/s APTECH DIGITAL	Digital Printing Machine	Digital Printing Machine	Handtop HTL- 3200UV	Machine size- 6.46(L)x 1.31(W)x 1.71(H) 04 printhead, 1200*1200dpi- Resolution, Max.width-3.2mm, Max media thickness-2mm, flexible UV ink, Machine net weight-1800kg, Power consumption-3.9KW, LED UV Curing, Print speed production- 63m ² /h, Ink colour used- C,M,YK	52.00	52.00
-----	-----------------------	--------------------------	--------------------------	------------------------	---	-------	-------

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
68.	M/s Screenotex Engineers Private Limited	Screen Exposing Machine	Multi Cage Screen Stretching Machine	Multi Cage Screen Stretching Machine	The machine is designed with rectangular and horizontal M.S Frame having well built legs. Clamp chariots are provided on all the four sides with pneumatic cylinder and prolonging tubes and necessary air connection are fitted with all the cylinders. The pneumatic cylinder hold the screen frame so that its lifting is enable , and required gadgets are provided to suit change of screen s of various sizes		
					Machine Width-48"	12.00	12.00
					Machine Width-60"	14.00	14.00
69.	M/s. Cheran Machines India Private	Screen Exposing Machine	x-wel " screen Exposing Machine	CMX 30 x 40	The machine consist indigenous quick start exposal system, Programmable up to 99 setting, Overall size- 1390mm(L) x 1010mm(w) x 1061mm(H) Frame size- 35" x 45", Power- 440v/50Hz/4HP, Vacuum Pump- 0.25HP/1.5CFM/3 X 10'	3.98	3.98

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
70.	M/s. Cheran Machines India Private	Curing Machine	Electric curing/Drying machine	CC310	Maximum Size- 14ft(L)x3.5ft(W) x 4 ft (H), Power- 440v/50Hz/20HP, Heater- 15KW/34.5 Amp, Working Area-90 x 300cm, Temp- 200°C, Operating speed- 33F/min, Conveyor drive- DC motor with 180V DC drive, Blower- 230V AC/30W	3.00	3.00
71.	M/s. Cheran Machines India Private	Curing Machine	Electric curing/Drying machine	CC315	Maximum Size- 21ft(L)x3.5ft(W) x 4 ft (H), Power- 440v/50Hz/32HP, Heater- 24KW/54.5 Amp, Working Area-90 x 450cm, Temp- 200°C, Operating speed- 33F/min, Conveyor drive- DC motor with 180V DC drive, Blower- 230V AC/30W	4.38	4.38
72.	M/s. Cheran Machines India Private	Curing Machine	Electric curing/Drying machine	CC145	Maximum Size- 21ft(L)x5ft(W) x 4 ft (H), Power- 440v/50Hz/48HP, Heater- 36KW/82Amp, Working Area- 120 x 450cm, Temp- 200°C, Operating speed- 33F/min, Conveyor drive- DC motor with 180V DC drive, Blower- 230V AC/30W	4.30	4.30
73.	M/s. DCC Print Vision LLP	Curing machine	IR operated Curing machine	Copperhead Charge Electric dryer 24x 6 ft	Belt width- 24" Exhaust blower system- 7.9", 8650 l/min, Heat chamber length- 72" Dimension (L x W x H)-156"x 37" x 71", Machine weight- 641kg	7.727	7.727

74.	M/s. DCC Print Vision LLP	Curing machine	IR operated Curing machine	Copperhead Charge Electric dryer 40 x 13 ft	Belt width- 40"	2.525	2.525
75.	M/s. DCC Print Vision LLP	Curing machine	IR operated Curing machine	Copperhead Industrial dryer Electric 60" bw/ 16'hc/ 8'out		22.00	22.00
76.	M/s. DCC Print Vision LLP	Curing machine	Flash Curing Machine	Jalapeno Flash Cure	The Jalapeno has been designed to optimize and balance the heat across the printed area during flashing, which minimizes scorching and provides better consistency across different ink and shirt colors. The improved airflow of the Jalapeno provides particularly good results on water base inks. The quartz flash switches activate as the pallets start to move to minimize warm-up delays. Each Copperhead Jalapeno comes with built-in electrical system connectors to easily plug in with a Copperhead Automatic Screen Printing Presses main control functions, so no additional wiring or cables are required. Smooth rolling, locking casters makes moving the flash fast & easy.		

					Jalapeno Flash 1820 Cure Machine Dimension (L x W x H)- 31"x 19" x 41" Curing area- 18" x 20" Electric Requirement- 208-230 V, 3ph, 31A, 50/60 Hz, 12Kw, 400-440 V, 3ph, 22A, 50 Hz, 12Kw, Weight- 48Kg	1.20	1.20
					Jalapeno Flash 2030 Cure Curing area- 20" x 30"	1.60	1.60
					Jalapeno Flash 2840-R Cure Machine Dimension (L x W x H)- 62"x 32" x 46" Curing area- 28" x 40" Electric Requirement- 208-230 V, 3ph, 55 A, 50/60 Hz, 12.7 Kw, 400-440 V, 3ph, 40 A, 50Hz, 12.7 Kw, Weight- 53Kg	2.00	2.00

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
77.	M/s. IIGM Pvt. Ltd.	Sewing Machine	Juki Five Thread Over Lock Machine	JUKIMO6816SFH660HDD10K	Capacity- 7000sti/min	0.63	0.63
78.	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Five Thread Over Lock Machine	JUKI MO-6816SFH660HDD10K	Capacity- 7000sti/min	0.65	
79.	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Five Thread Over Lock Machine	JUKIMO6816SFH660HDD10K	Capacity- 7000sti/min	0.65	
80.	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Five Thread Over Lock Machine with thread trimming	JUKIMO-6816SFH660HDD10K/T053/GA112-1-S2-P-F	Capacity- 7000sti/min	0.832	0.832
81.	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Five Thread Over Lock Machine with thread trimming	JUKI MO-6816SFH660HDD10K/T053/GA112-1-S2-P-F	Capacity- 7000sti/min	0.832	
82.	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Five Thread Over lock Machine with thread trimming	JUKI MO-6816SFH660HDD23	Capacity- 7000sti/min	0.80	0.80
83.	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Four Thread Over lock Machine	JUKI MO-6814SBE634HG44Q143DD10K	Capacity- 7000sti/min	0.56	0.56
84.	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Four Thread Over lock Machine with thread trimming	JUKI MO-6814SBE634HG44Q143D22K	Capacity- 7000sti/min	0.80	0.80
85.	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKI DDL8100EH/JIN-PSM 550	Capacity- 4000sti/min	0.279	0.26
86.	M/s. IIGM Pvt. Ltd.	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL8100EH/JINP SM 550	Capacity- 4000sti/min	0.26	
87.	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL8100EH/JINP SM 550	Capacity- 4000sti/min	0.279	
88.	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKI DDL8100eH/X73120-AA/JIN-PSM-550W	Capacity- 4000sti/min	0.325	0.325
89.	M/s. IIGM Pvt. Ltd.	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL8100eH/X73120-AA/JIN-PSM- 550W	Capacity- 4000sti/min	0.325	
90.	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Single Needle Lockstitch	JUKIDDL8100eH/X73120-AA/JIN-PSM- 550W	Capacity- 4000sti/min	0.325	

			Machine				
91.	M/s. IIGM Pvt. Ltd.	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL7000AH7NB K	Capacity- 4000sti/min	0.36	0.36
92.	M/s. Juki Singapore Pte Ltd.	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL7000AH7NB K	Capacity- 4000sti/min	0.416	
93.	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL7000AH7NB K	Capacity- 4000sti/min	0.416	
94.	M/s. Juki Singapore Pte Ltd.	Sewing Machine	Direct-drive, High-speed, 1-needle, Lockstitch Machine, with Automatic Thead Trimmer	DDL900CSHNBK	Capacity- 4000sti/min	0.555	0.555
95.	M/s. IIGM Pvt. Ltd.	Sewing Machine	Juki Computer Controlled Cycle Sewing Machine with input Function Complete set	AMS-210EN/1510	Capacity- 2800sti/min	12.50	11.0
96.	M/s. Juki Singapore Pte Ltd.	Sewing Machine	Juki Computer Controlled Cycle Sewing Machine with Input Function Complete Set	AMS-210EN/1510	Capacity- 2800sti/min	11.00	
97.	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Computer Controlled Cycle Sewing Machine with input Function Complete set	AMS-210EN/1510	Capacity- 2800sti/min	11.00	
98.	M/s. IIGM Pvt. Ltd.	Sewing Machine	Juki Two Needle Lockstitch Split Needle Bar Machine Complete set	JUKI LH-3568AGF	Capacity- 3000sti/min	1.80	1.80
99.	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Two Needle Lockstitch Split Needle Bar Machine Complete set	JUKI LH-3568AGF	Capacity- 3000sti/min	1.892	
100.	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Two Needle Lockstitch Split Needle Bar Machine UBT Machine	JUKI LH-3568AGF-7BW/SC920A/CP18A	Capacity- 3000sti/min	3.777	3.777

101.	M/s. Juki Singapore Pte Ltd.	Sewing Machine	Juki Two Needle Lockstitch UBT Machine Complete Set	JUKI LH-3568AGF-7WB/SC920A/CP18A	Capacity- 3000sti/min	3.777	
102.	M/s. Juki Singapore Pte Ltd.	Sewing Machine	Juki Two Needle Lockstitch Machine Complete Set	JUKI LH-3500 SERIES	Capacity- 3000sti/min	1.892	1.892
103.	M/s. IIGM Pvt. Ltd.	Sewing Machine	Single Needle Unison Feed Lockstitch Machine Complete Set with Standard Accessories	JUKILU1510N/PSM-750	Capacity:3000sti/min	1.40	1.40
104.	M/s. Juki Singapore Pte Ltd.	Sewing Machine	Single Needle Unison Feed Lockstitch Machine Complete Set with Standard Accessories	JUKI LU1510N/PSM-750	Capacity:3000sti/min	1.585	
105.	M/s. Juki India Pvt. Ltd.	Sewing Machine	Single Needle Unison Feed Lockstitch Machine Complete Set with Standard Accessories	JUKI LU 1510 N/PSM-750	Capacity- 3000sti/min	1.585	
106.	M/s. IIGM Pvt. Ltd.	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Juki Button Stitch Sewing Machine Complete Set	JUKI MB-1377	Capacity- 1500sti/min	1.85	1.85
107.	M/s. Juki Singapore Pte Ltd.	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Juki Button Stitch Sewing Machine Complete Set	JUKI MB-1377	Capacity- 1500sti/min	2.118	
108.	M/s. Juki India Pvt. Ltd.	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Juki Button Stitch Sewing Machine Complete Set	JUKI MB-1377	Capacity- 1500sti/min	2.118	
109.	M/s. Juki Singapore Pte Ltd.	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Juki Button Sewing Machine Complete Set.	JUKI LK-1903BNHS/MC672KN N	Capacity- 2700sti/min	4.245	4.245
110.	M/s. Juki India Pvt. Ltd.	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Juki Button Sewing Machine Complete Set	JUKI LK-1903BNHS/MC672KN N	Capacity- 2700sti/min	4.245	

111.	M/s. IIGM Pvt. Ltd.	Label Attaching/ Bar Tracking machine	Juki Bar Tracking Sewing Machine Complete Set	JUKILK1900BNHS /MC672KNN	Capacity- 3200sti/min	2.36	2.36
112.	M/s. Juki Singapore Pte Ltd.	Label Attaching/ Bar Tracking machine	Juki Bar Tracking Sewing Machine Complete Set	JUKI LK-1900BNHS/MC672KN N	Capacity- 3200sti/min	2.90	
113.	M/s. Juki India Pvt. Ltd.	Juki Bar Tracking sewing machine complete set	Juki Bar Tracking Sewing Machine Complete Set	JUKILK1900BNHS /MC672KNN	Capacity- 3200sti/min	3.227	
114.	M/s. Juki Singapore Pte Ltd.	-	Pattern Seamer Machine	PS800	Capacity - 3000sti/min	8.00	8.00
115.	M/s. Juki Singapore Pte Ltd.	-	Label attaching device Pattern Seamer Machine	LA1 DEVICE for AMS machine	-	1.80	1.80
116.	M/s. Juki Singapore Pte Ltd.	-	Feed of the arm, Double chain stitch machine	MS1261F/VO45S	Capacity - 3600sti/min	4.07	4.07

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
117.	M/s. IIGM Pvt. Ltd.	Cutting machine	Eastman Power Driven Cloth Cutting Machine Complete Set	EASTMAN 629*8"	0.65 H.P Motor. 220V Single Phase, Single Phase, Speed-2850 RPM Knife size (inch) - 6, 7, 8, 10, 11.5, 13 Cutting capacity (inch) - 4.5, 5.5, 6.5, 8.5, 10, 11.5	0.98	0.98
118.	M/s. IIGM Pvt. Ltd.	Cutting machine	Eastman Power Driven Cloth Cutting Machine Complete Set	EASTMAN 629*10"	0.65 H.P Motor. 220V Single Phase, Single Phase, Speed-2850 RPM Knife size (inch) - 6, 7, 8, 10, 11.5, 13 Cutting capacity (inch) - 4.5, 5.5, 6.5, 8.5, 10, 11.5	1.05	1.05
119.	M/s. Juki India Pvt. Ltd.	Cutting machine	JIN Power Driven Cloth Cutting Machine complete set	JIN-3C 8" 1200W	-	0.248	0.248
120.	M/s. Juki Singapore Pte Ltd.	Cutting machine	JIN Power Driven Cloth Cutting Machine Complete Set	JIN-3C 8 "1200W	-	0.248	
121.	M/s. Juki India Pvt. Ltd.	Cutting machine	JIN Power Driven Cloth Cutting Machine complete set	JIN-3C 10" 1200W	-	0.253	0.253
122.	M/s. Juki Singapore Pte Ltd.	Cutting machine	JIN Power Driven Cloth Cutting Machine Complete Set	JIN-3C 10" 1200W	-	0.253	
123.	M/s. Juki India Pvt. Ltd.	Cutting machine	JIN Power Driven Cloth Cutting Machine complete set	JIN-3C 12" 1200W	-	0.258	0.258
124.	M/s. Juki Singapore Pte Ltd.	Cutting machine	JIN Power Driven Cloth Cutting Machine Complete Set	JIN-3C 12" 1200W	-	0.258	
125.	M/s. Juki India Pvt. Ltd.	Cutting machine	JIN Power Driven Round Knife Cloth Cutting Machine complete set	JIN –RCM-110	-	0.051	0.051
126.	M/s. Juki Singapore Pte	Cutting machine	JIN Power Driven Round Knife Cloth Cutting	JIN –RCM-110	-	0.0516	

	Ltd.		Machine Complete Set				
127.	M/s. Juki India Pvt. Ltd.	Cutting machine	JIN Power Driven Round Knife Cloth Cutting Machine complete set	JIN –RCM-125	-	0.055	0.055
128.	M/s. Juki Singapore Pte Ltd.	Cutting machine	JIN Power Driven Round Knife Cloth Cutting Machine Complete Set	JIN –RCM-125	-	0.055	

Sr. No.	Name and of the Vendor/Agent	Broad Category	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (USD)	Minimum Basic Price (USD)
129.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN NEEDLE PUNCHING UNITS WITH SPARE PARTS & ACCESSORIES	COMPRESSIVE BATT FEEDER CBF	TUE-WA-1700	-	5,000.00	5,000.00
130.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN NEEDLE PUNCHING UNITS WITH SPARE PARTS & ACCESSORIES	TEXTILE NEEDLE LOOM FOR FINISHING NONWOVENS WITH SPARE PARTS	TUE-ZAY-UD-II-1800	-	44,660.00	44,660.00
131.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN NEEDLE PUNCHING UNITS WITH SPARE PARTS & ACCESSORIES	TEXTILE NEEDLE LOOM FOR FINISHING NONWOVENS WITH SPARE PARTS	TUE-ZAU-1600	-	19,580.00	19,580.00
132.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN NEEDLE PUNCHING UNITS WITH SPARE PARTS & ACCESSORIES	TEXTILE NEEDLE LOOM FOR FINISHING NONWOVENS WITH SPARE PARTS	TUE-ZAD-1600	-	19,580.00	19,580.00

Sr. No.	Name and of the Vendor/Agent	Broad Category	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (USD)	Minimum Basic Price (USD)
133.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN CALENDARING UNIT WITH SPARE PARTS & ACCESSORIES	HOT TEXTILE CALENDAR WITH HEATING SYSTEM	TUE-RA-22-1600	-	33,350.00	33,350.00
134.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN CALENDARING UNIT WITH SPARE PARTS & ACCESSORIES	COOL TEXTILE CALENDAR WITH CHILLING SYSTEM	TUE-LZA-33-1600	-	38,000.00	38,000.00
135.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN CALENDARING UNIT WITH SPARE PARTS & ACCESSORIES	FABRIC UNWINDER	TUE-FJB-1600	-	5,500.00	5,500.00
136.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN CALENDARING UNIT WITH SPARE PARTS & ACCESSORIES	SIDE FABRIC OPENER	TUE-BKA-800	-	8,000.00	8,000.00

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
137.	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -960 hooks	Ideal for weaving flat fabrics on all tyoes of repier , airjet, waterjet loom. Very robust, wear resistant and designed for many years of daily use with a minimum maintenance. Quick and easy install. Suitable for very heavy load weaving. Suitable for very load weaving, Precision kinematics with no vibration, Low friction engineering reduces energy consumption	1.00	1.00
138.	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -1344 Hooks	<u>Drive System & Shedding Double lift open shed Jacquard Machine</u> Gear mechanism up to 1536 hook Chain mechanism with 1792, 2688, 5367 Precision adjustment of shed geometry Main drive available with chain and gear box, High	1.20	1.20
139.	M/s. Amar	Dobby or Jacquard for	Electronic Jacquard	AJ -1536 Hooks		1.40	1.40

	Jacquard	carpet loom			quality aluminium blades for low vibration, <u>Controller</u> Amar's control innovator is latest Linux based jacquard controller, Pattern transfer is made possible USB or network, Inner memory upto 32GB, Support BMP & EP files, Can syrinconized with any loom, Combas, Parallel & serial data analysis, Slim and seek Design <u>Controller 2.0</u> Amar's control innovator is latest Linux based jacquard controller, a practical and efficient interface between user and jacquard.The controller features a clear display of information using icons, on a 4" character LCD, Making navigation between function quick and easy. Inner memory upto 16GB, Support BMP & EP files, Can syrinconized with any loom, Combas, Parallel & serial data analysis show errors and faults, Single sensor & double sensor option Available, Direct weft select data available.		
140.	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -1792 Hooks		1.50	1.50
141	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -2048 Hooks		2.00	2.00
142.	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -2688 Hooks		2.50	2.50

					Dust proof with high speed exhaust fan, Do not need to open the machine for lubrication, No need any special preparation for new machine, given plug and play option, user just need to insert this connector in jacquard and given single phase power to machine 02 types of power inputs 110v & 220V <u>Amar Intelligent Cloud Service</u> This app designed only for costumer and the motto of this app is to maintain customer's direct interaction with company 's director , so that customer can take after sales support on time with 100% transparency		
143.	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -5376 Hooks		3.50	3.50

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
144.	M/s. Manoj Engineering	HHP Dyeing Machine	1 Kg HHP Vertical Fibre Dyeing Machine	MEHHPF01	Capacity- 1kg	2.50	2.50
146	M/s. Manoj Engineering	HHP Dyeing Machine	10 Kg HHP Vertical Fibre Dyeing Machine	MEHHPF10	Capacity-10kg	3.50	3.50
147.	M/s. Manoj Engineering	HHP Dyeing Machine	25 Kg HHP Vertical Fibre Dyeing Machine	MEHHPF25	Capacity-25kg	4.70	4.70
148.	M/s. Manoj Engineering	HHP Dyeing Machine	50 Kg HHP Vertical Fibre Dyeing Machine	MEHHPF50	Capacity-50kg	8.90	8.90
149.	M/s. Manoj Engineering	HHP Dyeing Machine	100 Kg HHP Vertical Fibre Dyeing Machine	MEHHPF100	Capacity-100kg	14.20	14.20
150.	M/s. Manoj Engineering	HHP Dyeing Machine	200 Kg HHP Vertical Fibre Dyeing Machine	MEHHPF200	Capacity-200kg	16.00	16.00
151.	M/s. Manoj Engineering	HHP Dyeing Machine	300 Kg HHP Vertical Fibre Dyeing Machine	MEHHPF300	Capacity-300kg	19.11	19.11
152.	M/s. Manoj Engineering	HHP Dyeing Machine	400 Kg HHP Vertical Fibre Dyeing Machine	MEHHPF400	Capacity-400kg	24.00	24.00
153.	M/s. Manoj Engineering	HHP Dyeing Machine	500 Kg HHP Vertical Fibre Dyeing Machine	MEHHPF500	Capacity-500kg	30.00	30.00
154.	M/s. Manoj Engineering	HHP Dyeing Machine	700 Kg HHP Vertical Fibre Dyeing Machine	MEHHPF700	Capacity-700kg	38.00	38.00
155.	M/s. Manoj Engineering	HHP Dyeing Machine	800 Kg HHP Vertical Fibre Dyeing Machine	MEHHPF800	Capacity-800kg	45.21	45.21
156.	M/s. Manoj Engineering	HHP Dyeing Machine	1000 Kg HHP Vertical Fibre Dyeing Machine	MEHHPF1000	Capacity-1000kg	55.00	55.00

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
157.	M/s. Manoj Engineering	HHP Dyeing Machine	HHP Vertical Yarn Dyeing Machine	MEHHPY01	This machine is ideal for polyester yarn having feature of low liquor ratio with maximum temperature of 140°C and 6kg hydraulic tested vessel. These vessel have axial turbo pump which is directly fitted on the main body of the machine and this completely eliminates turbo pipes, from which derives the compact design circuit and consequent optimization of the liquor ratio. In fact, cabinet can assure a very low liquor that, according to the type of material and the cycle of reference, can range between 1:8 and 1:10 Air-pad system gives the chance for a 50% variable loading at almost constant liquor ratio and ensures a very high level of flexibility for every bath need Vessel can be designed and manufacture from 3kg up to very large lot of 2000kg	2.50	2.50
158.	M/s. Manoj Engineering	HHP Dyeing Machine	HHP Vertical Yarn Dyeing Machine	MEHHPY10		3.50	3.50
159.	M/s. Manoj Engineering	HHP Dyeing Machine	HHP Vertical Yarn Dyeing Machine	MEHHPY25		4.70	4.70
160.	M/s. Manoj Engineering	HHP Dyeing Machine	HHP Vertical Yarn Dyeing Machine	MEHHPY50		8.90	8.90
161.	M/s. Manoj Engineering	HHP Dyeing Machine	HHP Vertical Yarn Dyeing Machine	MEHHPY100		14.20	14.20
162.	M/s. Manoj Engineering	HHP Dyeing Machine	HHP Vertical Yarn Dyeing Machine	MEHHPY200		16.00	16.00
163.	M/s. Manoj Engineering	HHP Dyeing Machine	HHP Vertical Yarn Dyeing Machine	MEHHPY300		19.11	19.11
164.	M/s. Manoj Engineering	HHP Dyeing Machine	HHP Vertical Yarn Dyeing Machine	MEHHPY400		24.00	24.00
165.	M/s. Manoj Engineering	HHP Dyeing Machine	HHP Vertical Yarn Dyeing Machine	MEHHPY500		30.00	30.00
166.	M/s. Manoj Engineering	HHP Dyeing Machine	HHP Vertical Yarn Dyeing Machine	MEHHPY700		38.00	38.00
167.	M/s. Manoj Engineering	HHP Dyeing Machine	HHP Vertical Yarn Dyeing Machine	MEHHPY800	45.21	45.21	
168.	M/s. Manoj Engineering	HHP Dyeing Machine	HHP Vertical Yarn Dyeing Machine	MEHHPY1000	55.00	55.00	

169	M/s. RK Tex Machines India Pvt Ltd	HTHP Dyeing Machine	HTHP Vertical Yarn/fibre Dyeing Machine	RK-Expert/DM	Very Low liquor ratio, Highly efficient Turbo Main pump, High pressure Injection pump, Heating coil made out of seamless pipes for quick heat transfer Easily operating new technology PLC, Extra safety pressure release valve, Inverter driven turbo pump for variable flow control and save factor		
					Capacity – 10Kgs	4.80	4.80
					Capacity – 30Kgs	7.75	7.75
					Capacity – 50Kgs	12.75	12.75
					Capacity – 100Kgs	19.50	19.50
					Capacity – 300Kgs	32.50	32.50
					Capacity – 500Kgs	44.50	44.50
					Capacity – 800Kgs	53.75	53.75
Capacity – 1000Kgs	59.50	59.50					

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
170.	M/s. Manoj Engineering	HTHP Dyeing Machine	1 Kg HTHP Vertical Bleaching Dyeing Machine	MEHTHP01	<p>Lowest liquor ratio of 1:3 to 1:5.2 in single direction and dual direction turbo pump.</p> <p>The machine is suitable for cross-wound bobbins, warp beam, yarn hank, loose stock and combed top, yarn springs loaded, cotton, polyester, woolen.</p> <p>The machine is suitable for bleaching/dyeing.</p> <p>Differential level transmitter is equipped for variable loading carrier.</p> <p>Analogical level system is equipped for suitable filling level</p> <p>Temp- control system- Duplex sensor highly leak proof tested placed b/w the spring coil to maintain accurate gradient</p> <p>High efficiency balanced centrifugal pump with mechanical seal driven by electric motor with frequency conversion control</p> <p>Fully automatic proportional temp rising system</p> <p>Internal/external dye condensing system</p> <p>Latest type high efficiency heat exchanger</p> <p>Quantified gradual material feeding system</p> <p>Fast cleaning system</p>	2.50	2.50
171.	M/s. Manoj Engineering	HTHP Dyeing Machine	10 Kg HTHP Vertical Bleaching Dyeing Machine	MEHTHP10		3.50	3.50
172.	M/s. Manoj Engineering	HTHP Dyeing Machine	25 Kg HTHP Vertical Bleaching Dyeing Machine	MEHTHP25		4.70	4.70
173.	M/s. Manoj Engineering	HTHP Dyeing Machine	50 Kg HTHP Vertical Bleaching Dyeing Machine	MEHTHP50		8.90	8.90
174.	M/s. Manoj Engineering	HTHP Dyeing Machine	100 Kg HTHP Vertical Bleaching Dyeing Machine	MEHTHP100		14.20	14.20
175.	M/s. Manoj Engineering	HTHP Dyeing Machine	200 Kg HTHP Vertical Bleaching Dyeing Machine	MEHTHP200		16.00	16.00
176.	M/s. Manoj Engineering	HTHP Dyeing Machine	300 Kg HTHP Vertical Bleaching Dyeing Machine	MEHTHP300		19.11	19.11
177.	M/s. Manoj Engineering	HTHP Dyeing Machine	400 Kg HTHP Vertical Bleaching Dyeing Machine	MEHTHP400		24.00	24.00
178.	M/s. Manoj Engineering	HTHP Dyeing Machine	500 Kg HTHP Vertical Bleaching Dyeing Machine	MEHTHP500		30.00	30.00
180.	M/s. Manoj Engineering	HTHP Dyeing Machine	700 Kg HTHP Vertical Bleaching Dyeing Machine	MEHTHPY00		38.00	38.00
181.	M/s. Manoj Engineering	HTHP Dyeing Machine	800 Kg HTHP Vertical Bleaching Dyeing Machine	MEHTHP800		45.21	45.21
182.	M/s. Manoj Engineering	HTHP Dyeing Machine	1000 Kg HTHP Vertical Bleaching Dyeing Machine	MEHTHP1000		55.00	55.00

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
183.	M/s. RK Tex Machines India Pvt Ltd	Package Dyeing Machine	Package Dyeing Machine	RK-Expert/PDM	The total dyeing time can be reduced, which leads to ample machine out put and energy saving,with support of automatic control devices, precision instrument allow the shortest dyeing time and MLR as low		
					Capacity – 10Kgs	15.75	15.75
					Capacity – 75Kgs	18.75	18.75
					Capacity – 150Kgs	25.25	25.25
					Capacity – 350Kgs	37.50	37.50
					Capacity – 600Kgs	47.50	47.50
					Capacity – 800Kgs	72.25	72.25
					Capacity – 1200Kgs	76.50	76.50

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
189.	M/s. RK Tex Machines India Pvt Ltd	Hot Air Dryer	Hot Air Dryer	RK Expert/HAD	Dryer is equipped with the steam/Electric/ Thermic Fluid oil cycling and superior heat exchanger insulation system. Made up of mild steel/ss and radiator are made out of seamless pipe with aluminium fins for quick heating.		
					Capacity- 100Kgs	3.25	3.25
					Capacity- 500Kgs	5.50	5.50
					Capacity-1000Kgs	11.25	11.25

[Note: 1. There is no particular model for carpet loom of M/s. Drona Engineers]